

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61430	(angle or angular) near2 (velocity or velocities)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:02
L2	69635	(roll\$4 or tip\$4 or tilt\$4) adj over	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:02
L3	6198	rollover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:02
L4	73811	L2 or L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:02
L5	1034	L1 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:02
L6	335646	airbag or gasbag or ((air or gas) adj bag) or cushion or curtain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:03
L7	20246	(passenger or occupant or driver) near2 protect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:04
L8	345378	6 or 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:04
L9	196	5 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:04
L13	1	("6542073").PN.	USPAT	OR	OFF	2005/09/02 15:48

L14	1774252	difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 16:28
L15	3179	1 with 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 16:28
L16	57	15 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 16:29
S1	1	("20040026151").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:12
S2	61025	(angle or angular) near2 (velocity or velocities)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:00
S3	69301	(roll\$4 or tip\$4 or tilt\$4) adj over	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:14
S4	6093	rollover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:14
S5	73398	S3 or S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:14
S6	1011	S2 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 15:02
S7	3666233	difference or change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:15

S8	6490	S2 WITH S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 11:16
S9	101	S8 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 14:59
S10	2	((("5606756") or ("6483264"))).PN.	USPAT	OR	OFF	2005/08/03 11:44
S11	10	("4679808" "5890084" "5925084" "6038495" "6169946" "6192305" "6212455" "6282474" "6433681" "6496759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 14:51
S12	61025	(angle or angular) near2 (velocity or velocities)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 14:59
S13	3666233	difference or change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 14:59
S14	3046	S12 near3 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/02 16:27
S15	55648	(angle or angular) near3 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:00
S16	1758187	vehicle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:01
S17	336	S14 and S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:00
S18	2424	S12 near2 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:01

S19	241	S18 and S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:01
S20	922	S12 near2 difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:09
S21	118	S20 and S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:01
S22	1758187	vehicle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:01
S23	118	S20 and S15 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:02